



Connecting experiences to the World

2025

2

CONNECTING
EXPERIENCES
TO THE WORLD



About Us

Founded in 2023, İnther aims to be an innovative and reliable partner in the export of electrical materials. Our founder's 15 years of industry experience and expertise have laid a solid foundation for İnther company.

İnther started its journey to deliver Türkiye's high-quality and reliable electrical materials to all corners of the world, always prioritizing customer satisfaction and high-quality standards.

Our product range encompasses a wide area from industrial electrical equipment to materials necessary for home use, and all our products are manufactured in accordance with international quality standards.

Our mission is to represent Türkiye's strength and potential in the electrical materials sector in the global market in the best way possible.

Our vision is to be recognized as a leading and pioneering company in the industry, providing added value to our customers with our innovative solutions.

At İnther, we aim to be a reliable partner in the business world with our principles of honesty, transparency, and customer-focused service approach.

Thanks to the professionalism and experience of our employees, we offer fast and effective solutions to our customers, meeting their needs in the best possible way.

With our growing customer portfolio and expanding product variety, we will continue to provide quality service to our business partners around the world.

At İnther, we are committed to building strong and sustainable relationships with our esteemed customers and partners.

inther ltd

****من نحن****

تأسست شركة انتهار في عام 2023 بهدف أن تكون شريكاً مبتكراً وموثوقاً في تصدير المواد الكهربائية. لقد شكّلت خبرة مؤسّسنا التي تمتد على مدى 15 عاماً في هذا القطاع أساساً متيناً لشركة انتهار.

بدأت شركة انتهار رحلتها لتقديم المواد الكهربائية التركية ذات الجودة العالية والموثوقية إلى جميع أنحاء العالم مع التركيز دائماً على رضا العملاء ومعايير الجودة العالية.

تشمل مجموعة منتجاتنا نطاقاً واسعاً من المعدات الكهربائية الصناعية إلى المواد اللازمة للاستخدام المنزلي. وجميع منتجاتنا مصنوعة وفقاً للمعايير الدولية للجودة.

مهمتنا هي تمثيل قوة وإمكانات تركيا في قطاع المواد الكهربائية في السوق العالمية بأفضل طريقة ممكنة.

رؤيتنا هي أن نُعترف بنا كشركة رائدة ومبتكرة في هذا القطاع مع تقديم قيمة مضافة لعملائنا من خلال حلولنا المبتكرة.

في شركة انتهار، نسعى إلى أن نكون شريكاً موثقاً في عالم الأعمال بمبادئنا القائمة على الصدق والشفافية، ونهج الخدمة الذي يركز على العملاء.

بفضل احترافية وخبرة موظفينا، نقدم حلولاً سريعة وفعّالة لعملائنا من أجل تلبية احتياجاتهم بأفضل طريقة ممكنة.

مع تنامي قاعدة عملائنا وتوسّع مجموعة منتجاتنا، سنواصل تقديم خدمات عالية الجودة لشركائنا التجاريين حول العالم.

في شركة انتهار، نحن ملتزمون ببناء علاقات قوية ومستدامة مع عملائنا وشركائنا الموقّرين.

inther ltd

IP65



ITEM CODE	SIZES	BOX PCS
HER-130	200*300*130	1
HER-150	250*350*150	1
HER-170	300*400*170	1
HER-220	300*400*220	1
HER-190	350*500*190	1
HER-180	400*500*180	1
HER-240	400*500*240	1
HER-200	400*600*200	1
HER-250	500*700*250	1
HER-280	600*800*280	1
HER-210	250*350*210 NEW	1

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATIONS

1 - HAMMADDE : ABS (RAL 7035 GRİ)	1 - MATERIAL : ABS (RAL 7035 GRİ)
2 - ISI DAYANIKLI : -40° / + 80°	2 - HEALTH STRANGTH : -40° / + 80°
3 - DARBE DAYANIKLI	3 - IMPACT RESİTANT
4 - STANDART TİP PANOLAR İÇİN 650° KIZARAN TEL DENEYİ	4 - 650° GLOW WİRE TEST FOR STANDART TYPE
5 - HF YANMAZ PANOLAR İÇİN 960° KIZARAN TEL DENEYİ	5 - 960° GLOW WİRE TEST FOR HF TYPE
6 - PASLANMAZ ÇELİK VİDALI KAPAK	6 - STEİNLSS STELL SCREWS FOR COVER
7 - TABAN SACI	7 - STEİNLSS TEMM BASE PLATE
8 - KİLİT SİSTEMİ	8 - LOCK SYSTEM
9 - MONTAJ RAYI VE KLEMENS TAKMAYA MÜSAİT GÖVDE TASARIMI	9 - DESIGN PROVİDED İNSTALLATION FOR DIN RAILS AND TERMİNALS
10 - ALÇAK GERİLİM ŞALT EKİPMANLARI MONTAJA MÜSAİT YAPI	10 - SUİTABLE TO ASSEMBLY LOW VOLLAGE SWİCHTCHGEAR EQUIPMENT

metal plate

wall hanging bracket

lock set



IP65



ITEM CODE	SIZES	BOX PCS
HERP-130	200*300*130	1
HERP-150	250*350*150	1
HERP-170	300*400*170	1
HERP-220	300*400*220	1
HERP-190	350*500*190	1
HERP-180	400*500*180	1
HERP-240	400*500*240	1
HERP-200	400*600*200	1
HERP-250	500*700*250	1
HERP-280	600*800*280	1
HERP-210	250*350*210 NEW	1

TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATIONS

- 1 - HAMMADDE : ABS (RAL 7035 GRİ)
- 2 - ISI DAYANIKLI : -40° / + 80°
- 3 - DARBE DAYANIKLI
- 4 - STANDART TİP PANOLAR İÇİN 650° KIZARAN TEL DENEYİ
- 5 - HF YANMAZ PANOLAR İÇİN 960° KIZARAN TEL DENEYİ
- 6 - PASLANMAZ ÇELİK VİDALI KAPAK
- 7 - TABAN SACI
- 8 - KİLİT SİSTEMİ
- 9 - MONTAJ RAYI VE KLEMENS TAKMAYA MÜSAİT GÖVDE TASARIMI
- 10 - ALÇAK GERİLİM ŞALT EKİPMANLARI MONTAJA MÜSAİT YAPI

- 1 - MATERIAL : ABS (RAL 7035 GRİ)
- 2 - HEATH STRANGTH : -40° / + 80°
- 3 - IMPACT RESİTANT
- 4 - 650° GLOW WİRE TEST FOR STANDART TYPE
- 5 - 960° GLOW WİRE TEST FOR HF TYPE
- 6 - STEİNLESS STELL SCREWS FOR COVER
- 7 - STEİNLESS TEMM BASE PLATE
- 8 - LOCK SYSTEM
- 9 - DESIGN PROVİDED İNSTALLATION FOR DIN RAILS AND TERMİNALS
- 10 - SUİTABLE TO ASSEMBLY LOW VOLLAGE SWİCHTCHGEAR EQUIPMENT

metal plate

wall hanging bracket

lock set



IP65

PC TRANSPARENT AUTOMATE ENCLOSURE BOXES



HERAT-150	250x350x150	IN BOX 1 PCS	
HERAT-170	300x400x170	IN BOX 1 PCS	
HERAT-190	300x500x190	IN BOX 1 PCS	
HERAT-200	400x600x200	IN BOX 1 PCS	

ABS AUTOMATE ENCLOSURE BOXES

HERATP-150	250x350x150	IN BOX 1 PCS	
HERATP-170	300x400x170	IN BOX 1 PCS	
HERATP-190	300x500x190	IN BOX 1 PCS	
HERATP-200	400x600x200	IN BOX 1 PCS	




TEKNİK ÖZELLİKLER

TECHNICAL SPECIFICATIONS


- 1 - HAMMADDE : ABS (RAL 7035 GRİ)
- 2 - ISI DAYANIKLI : -40° / + 80°
- 3 - DARBE DAYANIKLI
- 4 - STANDART TİP PANOLAR İÇİN 650° KIZARAN TEL DENEYİ
- 5 - HF YANMAZ PANOLAR İÇİN 960° KIZARAN TEL DENEYİ
- 6 - PASLANMAZ ÇELİK VİDALI KAPAK
- 7 - TABAN SACI
- 8 - KİLİT SİSTEMİ
- 9 - MONTAJ RAYI VE KLEMENS TAKMAYA MÜSAİT GÖVDE TASARIMI
- 10 - ALÇAK GERİLİM ŞALT EKİPMANLARI MONTAJA MÜSAİT YAPI

- 1 - MATERIAL : ABS (RAL 7035 GRİ)
- 2 - HEALTH STRANGTH : -40° / + 80°
- 3 - IMPACT RESİTANT
- 4 - 650° GLOW WİRE TEST FOR STANDART TYPE
- 5 - 960° GLOW WİRE TEST FOR HF TYPE
- 6 - STEİNLESS STELL SCREWS FOR COVER
- 7 - STEİNLESS TEMM BASE PLATE
- 8 - LOCK SYSTEM
- 9 - DESİGN PROVİDED İNSTALLATION FOR DIN RAILS AND TERMİNALS
- 10 - SUİTABLE TO ASSEMBLY LOW VOLLAGE SWİCHTCHGEAR EÜİPMENT





ITEM CODE	SIZES	BOX PCS	NUM
HER-TP1S	85*85* 45	60 ADET - PCS	1
HER-TP2NS	85*85* 40	60 ADET - PCS	2
HER-TP3	110*110* 72	48 ADET - PCS	3
HER-TP4	110*110* 97	48 ADET - PCS	4
HER-TP5	110*110* 122	48 ADET - PCS	5
HER-TP6	110*110* 147	36 ADET - PCS	6
HER-TP7	110*220* 72	24 ADET - PCS	7
HER-TP8	110*220* 122	24 ADET - PCS	8
HER-TP9	150*150* 72	20 ADET - PCS	9
HER-TP10	85*85* 40	60 ADET - PCS	10



inther
Connecting experiences to the World



**HERA-100****Product Features:**

- Voltage: V230
- Airflow: 90 m³/h
- Speed: 2,600 RPM - 15W

HERA-120**Product Features:**

- Voltage: V230
- Airflow: 180 m³/h
- Speed: 2,250 RPM - 20W

HERA-150**Product Features:**


- Voltage: V230
- Airflow: 280 m³/h
- Speed: 2,100 RPM - 25W

BATHROOM FANS

BATHROOM FANS			
ITEM CODE	SIZES	ITEM NAME	IN BOX
HERA-100	100MM 4 INCH	ABS AIR EXTRACTOR	20
HERA-120	120MM 5 INCH	ABS AIR EXTRACTOR	20
HERA-150	150MM 6 INCH	ABS AIR EXTRACTOR	20


ITEM NAME

ITEM CODE



- ** Single Frame Cover Set For 80 x 80**
**** Kutu: 12 Adet**
**** Box: 12 Pcs.**

HER-150TP



- ** Single Frame Cover Set For 45 x 45**
**** Kutu: 12 Adet**
**** Box: 12 Pcs.**

HER-150T45



- ** Double Frame Cover Set For 45 x 45**
**** Kutu: 12 Adet**
**** Box: 12 Pcs.**

HER-150L45



- ** Triple Frame Cover Set For 45 x 45**
**** Kutu: 12 Adet**
**** Box: 12 Pcs.**

HER-150U45



- ** Quart Frame Cover Set For 45 x 45**
**** Kutu: 12 Adet**
**** Box: 12 Pcs.**

HER-150D45



STANDARD A4 PROJECT POCKET



Koli Ölçüsü : 280 x 260 x 420 mm^{^3}
Koli Ağırlığı : 4,48 kg
Koli İçi : 25 adet
HAMMADDE ABS

HER-PPA4




WIDE A5 PROJECT POCKET




Koli Ölçüsü : 280 x 260 x 420 mm^{^3}
Koli Ağırlığı : 3,60 kg
Koli İçi : 25 adet
HAMMADDE ABS

HER-PPA5



PVC CABLE DUCT CLOSED TYPE CARTON PACKING			ADHESIVE
ITEM CODE	SIZES	ITEM NAME	ITEM CODE
HERC-1212	12X12	PVC Cable Duct Closed type Carton Packing	HERCA-1212
HERC-1510	15X10	PVC Cable Duct Closed type Carton Packing	HERCA-1510
HERC-1616	16X16	PVC Cable Duct Closed type Carton Packing	HERCA-1616
HERC-2010	20X10	PVC Cable Duct Closed type Carton Packing	HERCA-2010
HERC-2516	25X16	PVC Cable Duct Closed type Carton Packing	HERCA-2516
HERC-2525	25X25	PVC Cable Duct Closed type Carton Packing	HERCA-2525
HERC-4016	40X16	PVC Cable Duct Closed type Carton Packing	HERCA-4016
HERC-4025	40X25	PVC Cable Duct Closed type Carton Packing	HERCA-4025
HERC-4040	40X40	PVC Cable Duct Closed type Carton Packing	HERCA-4040
HERC-6040	60X40	PVC Cable Duct Closed type Carton Packing	HERCA-6040
HERC-6060	60X60	PVC Cable Duct Closed type Carton Packing	HERCA-6060
HERC-8040	80X40	PVC Cable Duct Closed type Carton Packing	
HERC-8060	80X60	PVC Cable Duct Closed type Carton Packing	
HERC-10040	100X40	PVC Cable Duct Closed type Carton Packing	
HERC-10060	100X60	PVC Cable Duct Closed type Carton Packing	
HERC-12060	120X60	PVC cable Duct Closed type Carton Packing	




AVAILABLE ADHESIVE TYPE

HERSTA-

PERFORATED ELECTRICAL BOARD TYPE CABLE TRUNKINGS

ITEM CODE	SIZES	ITEM NAME	
HERST-2525	25x25	PERFORATED TYPE CABLE TRUNKINGS	100
HERST-2540	25x40	PERFORATED TYPE CABLE TRUNKINGS	80
HERST-2560	25x60	PERFORATED TYPE CABLE TRUNKINGS	48
HERST-4040	40x40	PERFORATED TYPE CABLE TRUNKINGS	72
HERST-4060	40x60	PERFORATED TYPE CABLE TRUNKINGS	48
HERST-4080	40X80	PERFORATED TYPE CABLE TRUNKINGS	40
HERST-6060	60x60	PERFORATED TYPE CABLE TRUNKINGS	32
HERST-6080	60X80	PERFORATED TYPE CABLE TRUNKINGS	24
HERST-8060	80X60	PERFORATED TYPE CABLE TRUNKINGS	24
HERST-8080	80X80	PERFORATED TYPE CABLE TRUNKINGS	16



ITEM CODE	SIZES	ITEM NAME
-----------	-------	-----------

HERZ-5012	50x12	OVERFLOOR TYPE CABLE TRUNKINGS GREY	60 mt
HERZ-7020	70x20	OVERFLOOR TYPE CABLE TRUNKINGS GREY	60 mt
HERZ-9020	90x20	OVERFLOOR TYPE CABLE TRUNKINGS GREY	20 mt

HERZA-5012	50x12	OVERFLOOR TYPE CABLE TRUNKINGS GREY ADHESIVE	60 mt
HERZA-5020	70x20	OVERFLOOR TYPE CABLE TRUNKINGS GREY ADHESIVE	60 mt
HERZA-9020	90x20	OVERFLOOR TYPE CABLE TRUNKINGS GREY ADHESIVE	20 mt



Overfloor type cable trays are generally used on the floor.

However, they provide a much more decorative appearance compared to other trays when used for wall-mounted drops, horizontal installations, or for TV and internet connections.



Features

Can be used as a transmitter. It is manufactured with flexible transparent PVC, reinforced with high-strength, maximum break-resistant rigid PVC. The inner surface is smooth, while the outer surface is corrugated.

Operating Temperature

-5°C to +60°C

Applications

Used in water drainage tasks for air conditioning and refrigeration systems.

ITEM CODE	SIZES	ITEM NAME	ROLL
HERLS-16	16mm	LS TYPE SPIRAL HOSE GRAY	50
HERLS-20	20mm	LS TYPE SPIRAL HOSE GRAY	50
HERLS-25	25mm	LS TYPE SPIRAL HOSE GRAY	50
HERLS-32	32mm	LS TYPE SPIRAL HOSE GRAY	50
HERLS-38	38mm	LS TYPE SPIRAL HOSE GRAY	50
HERLS-50	50mm	LS TYPE SPIRAL HOSE GRAY	50



Steel&Insulated Steel Spirals are...

Thanks to its steel spiral structure, it is flexible and durable, and also provides protection against external factors such as water, oil, chemicals, and dust. This pipe is commonly used in industrial applications, particularly in factories, mines, and construction sites for cable and installation protection."

STEEL SPIRALS

ITEM CODE	SIZE	ITEM NAME	PACK/MT
HER-SS9	9	STEEL SPIRAL	50
HER-SS11	11	STEEL SPIRAL	50
HER-SS14	14	STEEL SPIRAL	50
HER-SS16	16	STEEL SPIRAL	50
HER-SS18	18	STEEL SPIRAL	50
HER-SS21	21	STEEL SPIRAL	50
HER-SS26	26	STEEL SPIRAL	25
HER-SS29	29	STEEL SPIRAL	25
HER-SS32	32	STEEL SPIRAL	25
HER-SS35	35	STEEL SPIRAL	25
HER-SS37	37	STEEL SPIRAL	25
HER-SS40	40	STEEL SPIRAL	25
HER-SS42	42	STEEL SPIRAL	25
HER-SS45	45	STEEL SPIRAL	25
HER-SS50	50	STEEL SPIRAL	25



**BLACK
OR
GRAY**



1

INSULATED STEEL SPIRALS

ITEM CODE	SIZE	ITEM NAME	PACK/MT
HER-ISS9	9	PVC ISOLATED STEEL SPIRAL BLACK or GREY	50
HER-ISS11	11	PVC ISOLATED STEEL SPIRAL BLACK or GREY	50
HER-ISS14	14	PVC ISOLATED STEEL SPIRAL BLACK or GREY	50
HER-ISS16	16	PVC ISOLATED STEEL SPIRAL BLACK or GREY	50
HER-ISS18	18	PVC ISOLATED STEEL SPIRAL BLACK or GREY	50
HER-ISS21	21	PVC ISOLATED STEEL SPIRAL BLACK or GREY	50
HER-ISS26	26	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS29	29	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS32	32	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS35	35	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS37	37	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS40	40	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS42	42	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS45	45	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25
HER-ISS50	50	PVC ISOLATED STEEL SPIRAL BLACK or GREY	25



PLASTIC MANHOLES (UNDERGRUOUND BOX)

Manholes,Water Distribution Systems:

There are water manholes to easily detect and quickly repair malfunctions in water pipes.

Electricity and Telephone Lines:

It makes a significant contribution to eliminating malfunctions in underground electrical and telephone installation lines by facilitating access to cables.

Natural Gas Pipelines: Provides safe access to gas pipes.

When it is time for regular maintenance, it eases the workload and makes maintenance possible.

Inspection and Control: I

t is used for regular inspection and control of the underground infrastructure of cities.

In this way, it helps prevent major failures as it allows potential problems to be detected early

PLASTIC MANHOLE			
ITEM CODE	SIZES	ITEM NAME	
HERM-2020	20X20X20	PLASTIC MANHOLE	1
HERM-3030	30X30X30	PLASTIC MANHOLE	1
HERM-4040	40X40X40	PLASTIC MANHOLE	1
HERM-5050	50X50X50	PLASTIC MANHOLE	1




Technical Characteristic

- Color, RAL 7035 Grey
- Impact Resistant
- Degree of Protection IP 54
- With press-fit cover
- Manufactured in polyester reinforced with fiberglass
- Including 1,00 mm. Mounting plate
- Hinged door which open more than 90°
- Resistant against corrosive ambient
- It is possible to install on the wall, ground or over bases supporting

Blank Door

Code	Dimension (WxHxD)	Pack
HER 501	300 x 200 x 150	1
HER 503	250 x 300 x 155	1
HER 504	300 x 400 x 180	1
HER 505	400 x 500 x 190	1
HER 506	400 x 600 x 200	1
HER 507	500 x 800 x 255	1
HER 508	500 x 800 x 285	1
HER 510	700 x 1100 x 350	1
HER 511	700 x 1000 x 300	1



HER 511

Boards are included with
galvanized mounting plate

Plexiglass Door

Code	Dimension (WxHxD)	Pack
HER 522	300 x 400 x 180	1
HER 523	400 x 500 x 190	1
HER 524	400 x 600 x 200	1
HER 525	500 x 800 x 255	1
HER 525 D	500 x 800 x 285	1



Nh Polyester Boards

Code	Dimension (WxHxD)	Pack
HER 515	230X420X120	1
HER 514	230X420X120	1
HER 513	220X420X120	1



Nh Polyester Boards

Code	Dimension (WxHxD)	Pack
HER 516	220X300X120	1
HER 517	300X420X150	1
HER 518	370X580X180	1
HER 519	370X580X180	1



Polyester Boards

Code	Dimension (WxHxD)	Pack
HER 548	160X240X80	1
HER 549	220X300X120	1
HER 550	300X420X150	1
HER 552	370X580X180	1





inther

Connecting experiences to the World

INTHER DIŐ TİCARET LTD ŐTİ

OFFICE:Yakuplu Mah. Hürriyet Bulvarı Skyport Residence no:1 Kat: 10 Daire:113 Beylikdüzü/İSTANBUL

FACTORY:Eski Turgut Özal Cad. Altıntaĉ İő Merkezi D. Blok 1.Kat No:406-403 Baőakőehir / İSTANBUL

E-MAIL:sales@inther.com.tr / info@inther.com.tr

TEL:+90 542 446 75 96